

Р	Product Specifications for E94970-20PC				
	Job Name:	Job Type:			
	Quantity:	Comments			
	•				



E94970-20PC Brilliant 4-Light RapidJack Pendant and Canopy

Finish	Glass/Shade	Product Category
Polished Chrome		Linear Pendant

Lamping	
Number of Bulb(s)	4
Light Type	Xenon
Bulb Type	12V G4
Max Bulb Wattage	20
Max Fixture Wattage	80
Rated Life	±2,000 Hours
Rated Lumens	±1,280
Color Temp	±2,900 K
Bulb(s) Included	Yes
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	Low Voltage

Measurements	
Width	5.00"
Height	5.00"
Length	34.50"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	127.25"
Hanging Weight	5.50 lb(s)
Height Adjustable	Yes
Slope	N/A
Chain Length	N/A
Wire Length	72.00"
Canopy Width	4.5"
Canopy Height	2.3"
Canopy Length	34.5"

Shipping	
Carton Weight	8.00 lb(s)
Carton Width	8.00"
Carton Height	14.50"
Carton Length	40.50"
Carton Cubic Feet	N/A
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes
	Shipping Carton Weight Carton Width Carton Height Carton Length Carton Cubic Feet Master Pack Master Pack Weight Master Pack Width Master Pack Length Master Cubic Feet UPS Shippable

N/A N/A

Certification	Other	Equivalents	
Safety Rating	Dry UPC Code	845094053781 Incandescent Watts	1
Energy Star	No Material	N/A Fluorescent Watts	1
CA Title 24	No		
CA Title 20	No		
ADA	No		

ET2 Contemporary Lighting and all designs, logos and images © 2014 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.