

| | | | |
|--------------------|--|-----------------|--|
| Job Name: | | Item Number: | |
| Specifier Name: | | Sales Agency: | |
| Specifier Contact: | | Agency Contact: | |
| Fixture Type: | | Comments: | |
| Quantity: | | Approval: | |

3 Light LED Disk Kit 2700K



Description

Our LED Disk Lighting Kits offer two and three light, all-in-one packages for added convenience. Each package includes a plug-in 12V 30 watt zero load transformer, a LED Disk Connection Hub and all necessary mounting components. Up to six LED Disk Lights can be powered from one transformer and connection hub.

Specifications

| | |
|--------------------|--------------------------------|
| Item Number | 98853SW-15 |
| Finish | White |
| Dimensions | D: 3" H: 5/8" |
| Wire / Cord | 96" (color/White) |
| Switch Type | On/Off Switch |
| Mounting Proc. | Dual Mount |
| Connection | Plug Into Box |
| Voltage | 12V |
| Color Temperature | 2700°K |
| Lumens | 480 |
| Watts Consumed | 13.5 watts |
| Watts Rated | 12 watts |
| Efficacy | 35.6 lm/w |
| Color Rendering | >85 CRI |
| Rated Average Life | 40,000 hours to 70% |
| Safety Listing | cETL Listed for Damp Locations |
| Warranty | 5-Year Limited Warranty |

Instruction Sheets

- Trilingual (English, Spanish, and French) (HC-1944FS)


Shipping Information:

| Package Type | Product # | Quantity | UPC | Length | Width | Height | Cube | Weight | UPS Ship |
|-----------------|------------|----------|----------------|--------|-------|--------|-------|--------|----------|
| Individual | 98853SW-15 | 1 | 785652219290 | 5.5 | 4 | 5 | 0.064 | 1.2 | Yes |
| Master Pack | 98853SW-15 | 5 | 10785652219297 | | | | | | Yes |
| Shipping Master | | 30 | | | | | | | |

Photometric Diagram:

| Zone (Degrees) | Lumens | % of Lamp |
|----------------|--------|-----------|
| 0° – 30° | 56.7 | 32.5% |
| 0° – 40° | 93.4 | 53.6% |
| 0° – 60° | 157.7 | 90.4% |
| 0° – 90° | 174.4 | 100% |
| 90° – 180° | 0 | 0.0% |
| 0° – 180° | 174.4 | 100% |

| | | Horizontal Angle (Degrees) | | |
|--------------------------|-----|----------------------------|-------|-------|
| | | 0° | 45° | 90° |
| Vertical Angle (Degrees) | 0° | 60540 | 60540 | 60540 |
| | 45° | 58070 | 58070 | 58070 |
| | 55° | 48620 | 48620 | 48620 |
| | 65° | 32180 | 32180 | 32180 |
| | 75° | 1326 | 1326 | 1326 |
| | 85° | 0 | 0 | 0 |



Photometry based on (1) 98860SW(-xx) LED Disk in 3000°K CCT.

Component Diagram:



STEP 1

Choose LED Disks
 Select number of disks, housing color and color temperature needed for your project.



STEP 2

Select Connectors & Accessories
 Order connection hubs, additional connector cords, extra cord mounting clips, wiring compartments and fused plugs needed for your installation. (Each disk includes a 36" linking cable.)



STEP 3

Select Transformers
 Multiply the number of disks in your system by 4 watts to determine transformer size needed. LED disks are 12V AC for use with 12V power supplies.



7400 Linder Ave. | Skokie, Illinois 60077 | 800-347-5483
 © 2013 Sea Gull Lighting LLC, a Generation Brands Company.

